Angelus Shoe Polish Co. Santa Fe Springs, Ca. 90670 Product: Angelus No. 605 Satin Acrylic Finisher

Date Prepared: 12/01/06

Section 1

Product Identification

Product Name:

General or Generic ID:

Angelus Satin Acrylic Finisher

A proprietary resin emulsion product

0

Hazard Rating:

Health 1

Scale: 0 Minimal 1 Slight 2 Moderate 3 Serious 4 Severe

Firc

Reactivity 0

Emergency Phone Number 562-229-0521

Emergency Phone for Transportation only: 1-800-535-5053 INFOTRAC

Section 2

Composition/Information of Ingredients

Ingredient (8)

CAS Number

% (by volume)

Blend of Acrylic Polymers and Copolymers

<9

Section 3

Hazards Identification

Potential Health Effects

Eye:

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin:

May cause irritation of skin with prolonged use. No problem is expected with normal use.

Swallowing/Ingestion:

May cause nausea. Vomiting may be induced at the discretion of a phnysician.

Inhalation:

None, No adverse effect expected with normal use and adequate ventilation.

Symptoms of Exposure:

None. No adverse effect expect with normal use...

Target Organ Effects:

Not Determined

Developmental Info:

Not Determined

Cancer Information:

Based on the available information, this material cannot be classified with regard to carcinogenticity.

Primary Route of entry:

Inhalation, Skin contact, Eye contact, Ingestion.

Other Health Effects:

No Data

Section 4

First Aid Measures

Eyes:

Flush eyes gently with water for at least 15 minutes. Seek medical attention if irritation persists.

Skin:

Wash affected skin areas thoroughly with soap and water. Consult physician if irritation persists.

Swallowing/Ingestion:

If swallowed give 2 glasses of water. Consult a physician. Never give anything by mouth to an

unconscious person.

Inhalation:

Move subject to fresh air. If symptoms persist consult a physician,

Page One

Continued on next page

No. 605 Satin Acrylic Finish

Fire Fighting Measures Section 5 Noncombustible Flash Point: Not Applicable Explosive Limit: Not Applicable Autoignition Temp: Hazardous products Not measured from Combustion: Material may splatter above 212F/100C. Polymer film can burn. Fire & Explosion Haz: Use extinguishing media appropriate for surrounding fire. Extinguishing Media: Fire Fighting Instructions: Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protection equipment. Flammability --- 0, Reactivity--0 NFPA Rating: Health-1, Accidental Release Measures Section 6 Absorb liquid on vermiculite, floor absorbent, or other absorbent material and place in an approved Spill: container. Follow all regulations concerning disposal. Handling and Storage Section 7 Keep product from freezing.. Handling: Exposure Controls / Personal Protection Section 8 Under normal conditions eye protection is not necessary. It is however good practice to always Eye Protection: wear protective glasses when using any product. Under normal conditions protections is not necessary. It is good practice to always avoid contact Skin Protection: with skin. With normal ventilation respiratory protection is not necessary. Respiratory Protection: ACGIH TLV OSHA VPEL Exposure Guidelines: Non Hazardous Physical and Chemical Properties Section 9 212F / 100C Boiling Point: Not measured Vapor Pressure AIR=1 <1 water

Page 2

Specific Vapor Density:

Continued on next page

12/01/06 Page 3 No. 605 Satin Acrylic Finisher Angelus Shoe Polish Physical and Chemical Properties Section 9 continued Percent Volatiles: None Volatile Organic Compounds (VOC) 400.0 g/l Slower than Ethyl Ether Evaporation Rate: Clear /Milky liquid Appearance: Liquid State: Homogeneous Solution Physical Form: No Data Color: minimal Odor: N/A pН

Section 10 Stability and Reactivity

Hazardous Polymerization: Product will not undergo hazardous polymerization.

Hazardous Decomposition: Thermal decomposition may yield acrylic monomers.

Chemical Stability: Stable

Incompatibility:

There are no known materials which are incompatible with this product.

Section 11 Toxicological Information
No Data

INO DAIA

Section 12 Ecological Information: No Data

Section 13 Disposal Consideration

Waste Management: Dispose of in accordance with all applicable local, state and federal regulations.

Section 14 Transport Information 49 CFR 172.101

Dot Description: Not Regulated

RQ (Reportable Qty) 49 CFR 172.101 Not applicable

Page 3 Continued on next page

Section 15

Regulatory Information

US Federal Regulations TSCS (Toxic Substances Control Act) Status

Cercla RQ-40CFR 302.4 (a)

RQ (lbs)

Page 4

Cercla RQ-40CFR 302.4 (b)

Materials without a "listed" RQ may be reportable as an "unlisted hazardous substance. See CFR 302.5 (b)

Sara 302 Components- 40 CFR 355 Appendix A

NONE

Section 311/312 Hazard Class-40 CFR 370.2

Immediate ()

Delayed () Fire () Reactive ()

Sudden Release of Pressure ()

Sara 313 Components—40 CFR 372.65 Section 313 Component(s)

None

International Regulations inventory status: Not Determined

State and Local Regulations CALIFORNIA PROPOSITION 65

None

New Jersey RTK Label Information:

None

Pennsylvania RTK label information

None

Section 16

Other Information

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is, current, applicable, and suitable to their circumstances. No representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature to the product or to the information herein is made hereunder. Angelus shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication, or use of, or reliance upon the information contained herein.

Last Page