

UltraMaterials

(800) 311 9543 / (608) 848 5735

Material Safety Data Sheet

UltraWet™ Look Stuff

For professional use only.

For motion picture special effects, makeup and medical simulations.

Not intended for use at high pressure or high temperature.

Not intended for use in vacuum equipment.

Caution: Slippery

Effective Date 12/15/97

UltraMaterials Co

750 Princeton Ave

PO 774507

Steamboat Springs, CO 80477

970 789 4029

970 879 5206 fax

after hours 970 879 7085

I. Identification

Product Name:	UltraWet™ Smooth Look Stuff
Chemical Name	trade secret
Chemical family	trade secret
Odor:	mild
Appearance	slimey liquid, may be colored, self leveling
Physical State:	liquid, thins with water, washes off with plain water
Exposure Limit:	none established

Fire and Explosion Data

Not flammable

Precautions to be taken in handling and storage:

Not intended for use in high pressure, high temperature equipment. Material leaking under high temperatures and pressures can autoignite.

Not intended for use in vacuum equipment. Sudden ingress of air into vacuum equipment may result in ignition without the presence of obvious ignition sources.

Conditions to avoid: Prolonged skin contact and falling due to its slippery nature

Incompatibility: Normally unreactive, however, avoid strong bases at high temperatures, strong acids, strong oxidizing agents and materials reactive with hydroxyl compounds

Hazardous Combustion or decomposition products

Combustion may produce the following products:

carbon monoxide and /or carbon dioxide. Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.

Hazardous polymerization: Will not occur

Conditions to avoid: Slippery when spilled.

Material leaking under high temperatures and pressures can autoignite.

Sudden ingress of air into vacuum equipment may result in ignition without the presence of obvious ignition sources.

Vapor generated at high temperatures can contain irritating thermal degradation products.

Spill or Leak Procedures

Steps to be taken if material is released or spilled:

Wear suitable protective clothing

Small spills can be flushed with large amounts of water, cleaned with a bleach and water solution, or allowed to dry and then scraped up (Make sure no one falls on it)

Waste disposal Method

Incinerate in a furnace or otherwise dispose of in accordance with applicable federal, state and local requirements.

Special Protection:

Respiratory Protection: None required for use at room temperatures

Ventilation: General (mechanical) room ventilation is satisfactory for use at low temperatures. If used at high temperatures, special local ventilation is recommended at points where vapors can be expected to escape to the workplace air.

Protective Gloves: Polyvinyl chloride coated

Eye Protection: Safety Glasses

Other protective equipment: Eye, Bath, Safety Shower

Precautions to be taken in handling and storage:

CERCLA requires notification of the National Response Center of release of quantities of Hazardous Substances equal to or greater than the reportable quantities in 40 CFR 302.4

Components present in this product at a level which could require reporting under the statute are NONE

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQS) in 40 CFR 355 (used for SARA 302,311 and 312). Components present in this product at a level which could require reporting under the statute are NONE

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all MSDSs that are copied and distributed for this material.

This product does not contain toxic chemicals at levels which require reporting under the statute.

TSCA Inventory Status:

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

California Proposition 65

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under that statute.

Massachusetts 105 CMR 670.000 Right to Know

Components present in this product at a level which could require reporting under this statute are none.

Pennsylvania Right to Know

Components present in this product at a level which could require reporting under this statute are none.

California SCAQMD Rule 443.1 VOC's Volatiles = substances with a vapor pressure of more than 0.5 mg at 104 C (219.2 F) This product contains 0.0 g/liter VOCE, 0.0 g/liter of material less exempted compounds

Note: The opinions expressed herein are those from The UltraMaterials Company and are based on those provided by the vendors of the components. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of the UltraMaterials Company, it is the user's obligation to determine the conditions of safe use of the product.

Ultramaterials Company

641 Basswood Avenue

Verona WI 53593

608 848 5735

608 848 4062 fax